





















Update: 01/2024

 ACCIAIO INOX AISI 316L STAINLESS STEEL AISI 316L EDELSTAHL AISI 316L		 15-108
 Germany	  **	
 France	 	
 Austria	 *	
 Norway	  *	
 Sweden		
 Netherlands	 BRL 774-06	
 Switzerland		
 Denmark	  *	
 Russia		
 Italy	 	
 Czech Rep.	 * 	
 Australia	  *	
 Poland	   *	
 USA		

 ACCIAIO INOX GAS AISI 316L STAINLESS STEEL GAS AISI 316L EDELSTAHL GAS AISI 316L	
 Germany	
 Austria	 *

 ACCIAIO AL CARBONIO CARBON STEEL C-STAHl	
 Germany	 **
 France	 *
 Sweden	
 Czech Rep.	 * 
 Poland	  *
 Australia	 *

* Omologazione ottenuta direttamente dal distributore.



Approval obtained directly by our distributor.

Inhaber der Zulassung ist unser Vertreter.

** Gamma omologata **VdS** da Ø22 a Ø108 mm, valida esclusivamente per l'utilizzo abbinato di tubi e raccordi Eurotubi Europa.

VdS approved range from Ø22 to Ø108 mm, valid only for the combined use of Eurotubi Europa pipes and fittings.

VdS zugelassen von Ø22 - 108 mm, gilt ausschliesslich bei Verwendung von Eurotubi Fittings kombiniert mit Eurotubi Europa Rohren.




Manicotto passante

Slip Coupling

Schiebemuffe

Code	d	L	E			MOQ
C11AB-LBP	12	56	22	34	20	200
C11AC-LBP	15	73	24	54	20	200
C11AD-LBP	18	77	25	62	20	100
C11AE-LBP	22	83	27	82	20	100
C11AF-LBP	28	92	28	111	20	100
C11AG-LBP	35	101	31	149	10	60
C11AH-LBP	42	118	35	212	6	60
C11AJ-LBP	54	142	40	319	4	40
C11AK	76,1	232	60	985	1	5
C11AL	88,9	262	70	1.292	1	5
C11AM	108	312	80	1.878	1	5




Curva 90° R 1,2

Bend 90° R 1,2

Bogen 90° R 1,2

Code	d	L	Z			MOQ
C20ZB-LBP	12	42	24	39	20	200
C20ZC-LBP	15	42	21	50	20	200
C20ZD-LBP	18	46	25	61	20	200
C20ZE-LBP	22	53	30	86	20	200
C20ZF-LBP	28	61	37	121	10	200
C20ZG-LBP	35	72	45	175	10	160
C20ZH-LBP	42	87	55	256	6	60
C20ZJ-LBP	54	107	70	395	6	60
C20ZK	76,1	154	99	1.087	1	20
C20ZL	88,9	174	111	1.451	1	20
C20ZM	108	215	138	2.164	1	20



Curva 90° MF R 1,2

Bend 90° with plain end R 1,2

Einsteckbogen 90° R 1,2

Code	d	L	H	Z			MOQ
C21ZB-LBP	12	42	53	24	37	20	200
C21ZC-LBP	15	42	53	21	49	20	200
C21ZD-LBP	18	46	56	25	61	20	200
C21ZE-LBP	22	53	63	30	86	20	200
C21ZF-LBP	28	61	71	37	123	10	200
C21ZG-LBP	35	72	80	45	175	10	100
C21ZH-LBP	42	87	97	55	255	6	60
C21ZJ-LBP	54	107	116	70	394	6	60
C21ZK	76,1	154	171	99	1.096	1	10
C21ZL	88,9	174	191	111	1.448	1	10
C21ZM	108	215	234	138	2.162	1	10